



Approved Release 2004/01/29: GIA-RDP83-00 R000600050004-3

WASHINGTON, D.C. 20505

SUGGESTION AND ACHIEVEMENT AWARDS COMMITTEE

10 January 1979

STAT		
•	1E 4822 Headquarters	
STAT	Dear	
	0.0	77-489, Improving Utility of Hq Bldg Space

The Committee appreciated the opportunity to have your improvement idea studied through the Suggestion System. The most knowledgeable offices evaluated your proposal. Their findings and results are attached.

As you know, creative ideas are vital to organization effectiveness. We look forward to receiving other constructive improvement proposals from you.

Sincerely,	
·	STAT
	·
Executive Secretary	<u>.</u>

Att(s)

Evaluation - LOG

HWS:

We thought that your late Sept 1978 imaginative shetch would have persuaded LOG to try new approaches. However, their latest Evaluation Report (attached) seems convincing. However, this subject is often like a ball game-- the score can often be close between win and lose.

	COULT C	TRITAL SECRET			
Approved Achi Release 2004/01/29	:: CIA-RDP83-0	00600050004-3			
Approved Release 2004/01/29 EVALUATIO					
TO: Executive Secretary	SUGGESTION NO.	SUSPENSE DATE			
Suggestion and Achievement Awards Committee	77-489				
AWAIGS COMMITTEE		ommiltee in making a final data.			
merits of this proposal. Retain third copy.	The second section of the second seco				
1. ACTION RECOMMENDED ADOPT	DECL INE	OTHER (Specify):			
DATE ADOPTED					
•					
2. REASONS FOR RECOMMENDATION (If more space is needed,	use plain paper)	•			
Enclosing the central courty integrity of the correspondent	erd-would-not-m	aintainthe			
integrity of the original buildin of action might detract greatly f	s-ucoren, and s ron-the aesthat	uch a course iconative of			
the Headquarters Building.	The state of the s	TO GUNTALY "UE"			
Moreover from a proceding	tandnois				
Moreover, from a practical s	Oninttively-eyn	encito due to			
access limitations and construction	on details, and	the noise, dust.			
and disruption would be excessive	•	, ,			
-More important phowever won	ld-be-the-adver	Serieffectianismologum			
More important, however, would be the adverse effect an enclosure would have upon the heating, wentilating and air conditioning					
systems at Headquarters, which depend on the air intakes in the central courtyard to supply fresh air for the building.					
·					
Although space problems conti	inue to exist, 🚟	itrisabelieued			
Live certificates bace section at his	Mahagommarcial	Josephan nov.			
Construction would best suit the would provide space at a more reast the space at a more reast t	SOD A-Dat Alexander terrated	is a simple companies			
of the court of the head quarters	Building: The	suggester's			
interest is appreciated.					
		OL 8 2502 a			
. TANGIBLE FIRST-YEAR SAVINGS (Man-hours, material,	equipment, etc.)				
	•				
INTANGIBLE BENEFITS (See guide on reverse side of	third annua				
The state of the state of the state of	гч сөрү)	1			
WHAT OTHER OFFICES, DIVISIONS, ETC. MIGHT ALSO USE	THIC INCAS				
The services, Divisions, Etc. MIGHT ALSO USE	L INCO IUBAT	{			
(Use plain paper to continue re	port, if necessary				